

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100




Fig.
3





Fig. 4

[illegible]

4/11

Fig 5





Fig 6



5/11

Fig 7



Fig 8



Fig 9



Fig 10



6/11




Fig 11




Fig 12 A




Fig 12 B

7/11

Fig 12C



Fig 12D




Fig 12E



Fig 12F



Fig 12G



Fig 12H




Fig 12 I





Fig 13



9/11

Figure 14.




pcDNA I / Amp 4.8 kb Invitrogen
supercoiled plasmid


p eGFP-I Promoter-Reporter
Vector 4.2 kb Clontech

eGFP gene removed via cutting with Hind III (41) and Not I (820)

000000-000000



Cloned in using HindIII AND Not I



003110-12E9100




Fig.16

